



**CBS-APB SERIES
FULLY AUTOMATIC INLINE
BLISTER SEALING MACHINES WITH
AUXILIARY ALL PAPER BLISTER FEEDER OPTION**



CBS30-1428-APB
FULLY AUTOMATIC INLINE BLISTER PACKAGING MACHINES
WITH AUXILIARY ALL PAPER BLISTER FEEDER OPTION

NEW: Perfect Ecological Solution for CPG Carded Packaging

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

CBS-APB SERIES

FULLY AUTOMATIC INLINE BLISTER SEALING MACHINE WITH AUXILIARY ALL PAPER BLISTER FEEDER OPTION

YOUR MARKET ... OUR SOLUTIONS

Starview's CBS APB Series machines are ideal for long, high-production quantity runs. These fully automated machines are available with thirty or more-stations and a standard sealing area of 14 x 28 inches.

Blister feeding or APB feeding, card feeding, sealing and finished package unloading are included.

CBS Series machines can produce all of the typical blister package styles including face seal, full face, double card trapped, Club style and half-clamshell.

Also see Starview's FAB Series for rotary and BSC Series for carousel style machines.

the STARVIEW ADVANTAGE

- A wide range of standard and custom automation features available to match customer requirements.
- Large format inline design to provide high volumes of finished packages and match linear plant workflow configurations.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader provide reduced labor costs.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index conveyor drive for smooth operation and position repeatability.
- Uses quick-change durable aluminum tooling.
- Industry leading design, construction, features and customer support.



Markets we serve everyday

more on next page

CBS-APB SERIES SPECIFICATIONS

CBS30-1428

| | |
|--------------------------------|---|
| Nominal sealing area: | 14" x 28" |
| Total no. of sealing fixtures: | 30 |
| Open loading stations: | 4 |
| Blister feeder: | Standard |
| Card feeder(s): | Standard |
| Finished package unloader: | Pick and place transfer standard / Unload flip over is optional |
| Maximum blister depth: | 3.5" |
| Average cycle speed: | 1 – 20 cpm |
| Electrical: | 208-230 Volts / 3 PH / 50 Amps |

Specifications and model availability are subject to change without notice.



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.

