



PHSA SERIES FULLY AUTOMATIC ROTARY CLAMSHELL & BLISTER SEALING MACHINE



PHS8A AUTOMATIC ROTARY PLASTIC-TO-PLASTIC
CLAMSHELL AND BLISTER SEALING MACHINE

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@www.starviewpackaging.com

PHSA SERIES

FULLY AUTOMATIC ROTARY PLASTIC TO PLASTIC CLAMSHELL & BLISTER SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

Starview's **PHSA Series** rotary type Clamshell and Blister sealers are designed for high volume production requirements. These machines may be used for Plastic-to-Plastic Clamshell sealing as well as conventional carded blisters, full face blisters and half-clamshell styles including applications using Tyvek, foils and other heat sealable lidstock. The **PHSA Series** units are available in eight (8) station designs with standard sealing areas of 14 x 18 inches and 18 x 24 inches. Larger sealing areas are available on request. The standard machines feature one heated sealing station and one cooled station, one finished package unload station, one bottom blister feed station, one insert card feed station and one top blister feed station with the remaining stations used for operator product loading stations.

For machines capable of higher production rates or with additional open stations for value-added automation please consider Starview's **BSC II Carousel** fully automatic machines Series.

the STARVIEW ADVANTAGE

- A wide range of standard and custom features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardware or optional Wi-Fi router gives management access to real-time process information from the machine.
- Starview's exclusive hot/cold sealing press system allows plastic to plastic sealing of PVC, RPVC, PETG, RPETG, GAG PET, GRG PET and similar materials without the use of RF generators.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Automatic card feeder, front and back clamshell feeders & finished package unloader standard for high-volume clamshell packaging and reduced labor input.
- Industry leading design, construction, features and customer support.



more on next page

PHSA SERIES SPECIFICATIONS

	PHS8A-1418	FAB8A-1824
Nominal sealing area:	14" x 18"	18" x 24"
Number of open stations:	2	2
Clamshell front feeder:	Standard	Standard
Card feeder:	Standard	Standard
Clamshell back feeder:	Standard	Standard
Finished package unloader:	Standard	Standard
Max clamshell/blister depth:	3.0"	3.0"
Max clamshell back height:	1.5"	2"
Avg. cycle speed clamshell pkg:	1-14 cpm	1-14 cpm
Avg. cycle speed blister pkg:	1-20 cpm	1-16 cpm
Electrical	208-230 Volts / 3 PH / 25 Amps	208-230 Volts / 3 PH / 45 Amps

Specifications and model availability are subject to change without notice.



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.

