

STARVIEW



ERB/PH SERIES SEMI-AUTOMATIC ROTARY MEDICAL & PHARMACEUTICAL MACHINE



ERB/PH4



ERB/PH4
WITH OPTIONAL UNLOAD AND CASTERS



ERB/PH4
WITH OPTIONAL TYVEK LID FEED,
UNLOAD AND CONVEYOR



ERB/PH6
WITH OPTIONAL TYVEK LID FEED,
UNLOAD AND CASTERS

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

ERB/PH SERIES

SEMI-AUTOMATIC ROTARY MEDICAL & PHARMACEUTICAL MACHINE

YOUR MARKET ... OUR SOLUTIONS

The **ERB/PH Series** rotary type heat sealers are designed for medium to higher volume production requirements. These machines are specifically designed for medical applications using foils, medical paper, Tyvek and other heat sealable lidstock. The ERB/PH Series units are available in four (4) and six (6) station designs. Models are available in standard sealing areas of 14 x 18 inches and 18 x 24 inches. Larger sealing areas are available on request. The standard machines feature one sealing station with the remaining stations used for operator loading and unloading.

For machines capable of higher production rates please consider Starview's **FAB/PH** automatic rotary or **CBS/PH** inline conveyor sealing machines.

the **STARVIEW** **ADVANTAGE**

- A wide range of standard and custom features available to match customer requirements.
- Generous use of stainless steel in the structure for the most durable finish in the industry.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- On-screen temperature calibration standard with optional on-screen pressure calibration available to simplify validation using direct access validation ports.
- Ultra-high pressure sealing presses used in conjunction with matched aluminum tooling to give consistent sealing patterns with any heat sealable medical lidding materials.
- Precision indexing rotary table for precise sealing fixture to matching relieved face plate alignment.
- Industry leading design, construction, features and customer support.



Markets we serve everyday

more on next page

ERB/PH SERIES SPECIFICATIONS

	ERB/PH4-1418	ERB/PH4-1824
Nominal sealing area:	14" x 18"	18" x 24"
Number of open stations:	3	3
Heating system:	Multi zones	Multi zones
Table Index:	Automatic	Automatic
Tyvek feeder:	Optional attached or Self-standing	Optional attached or Self-standing
Maximum tray depth:	3.0"	3.0"
Average cycle speed:	1-15 cpm	1-12 cpm
Electrical:	208-230 Volts / 1 PH / 25 Amps	208-230 Volts / 1 PH / 25 Amps

	ERB/PH6-1418	ERB/PH6-1824
Nominal sealing area:	14" x 18"	18" x 24"
Number of open stations:	5	5
Heating system:	Multi zones	Multi zones
Table Index:	Automatic	Automatic
Tyvek feeder:	Optional attached or Self-standing	Optional attached or Self-standing
Maximum tray depth:	3.0"	3.0"
Average cycle speed:	1-15 cpm	1-12 cpm
Electrical:	208-230 Volts / 1 PH / 55 Amps or 208-230 Volts / 3 PH / 40 Amps	208-230 Volts / 1 PH / 55 Amps or 208-230 Volts / 3 PH / 40 Amps

Specifications and model availability are subject to change without notice.



Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.

