



## PHS SERIES SEMI-AUTOMATIC ROTARY PLASTIC TO PLASTIC CLAMSHELL & BLISTER SEALING MACHINE



PHS8-1824  
WITH UNLOADER



PHS6-1418



PHS3-1418

**EXPERIENCE**  
*the* **STARVIEW**  
**ADVANTAGE**  
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555    [www.starviewpackaging.com](http://www.starviewpackaging.com)    [sales@www.starviewpackaging.com](mailto:sales@www.starviewpackaging.com)

# PHS SERIES

## SEMI-AUTOMATIC ROTARY PLASTIC TO PLASTIC CLAMSHELL & BLISTER SEALING MACHINE

### YOUR MARKET ... OUR SOLUTIONS

Starview's **PHS Series** rotary type Clamshell and Blister sealers are designed for medium to higher volume production requirements. These machines may be used for Plastic-to-Plastic Clamshell sealing as well as conventional carded blisters, full face blisters and half-clamshell styles including applications using Tyvek, foils and other heat sealable lidstock. The **PHS Series** units are available in three (3), six (6) and eight (8) station designs. The three-station machines are only available with a 14" x 18" sealing area. Six and Eight station models are available in standard sealing areas of 14 x 18 and 18 x 24 inches. Larger sealing areas are available on request. The standard machines feature one heated sealing station and one cooled station with the remaining stations used for load/unload stations.

For machines capable of higher production rates and value-added automation Starview's **PHSA Rotary** and **BSC II Carousel** fully automatic sealers should be considered.

## the STARVIEW ADVANTAGE

- A wide range of standard and custom features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- Starview's exclusive hot/cold sealing press system allows plastic to plastic sealing of PVC, RPVC, PETG, RPETG, GAG PET, GRG PET and similar materials without the use of RF generators.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Starview's exclusive selectable sealing station program allows the use of one (1) through the maximum sealing fixtures with operator selected start position from the HMI for short runs or single person operation.
- Industry leading design, construction, features and customer support.



more on next page

# PHS SERIES SPECIFICATIONS

	PHS3-1418	PHS6-1418	PHS6-1824
Nominal sealing area:	14" x 18"	14" x 18"	18" x 24"
Number of open stations:	1	4	4
Card feeder:	N/A	N/A	N/A
Finished package unloader:	N/A	Optional-Self standing	Optional-Self standing
Max clamshell/blister depth:	3.0"	3.0"	3.0"
Max clamshell back height:	1.25"	2.0"	2.0"
Avg. cycle speed clamshell pkg:	1-6 cpm	1-12 cpm	1-12 cpm
Avg. cycle speed blister pkg:	1-8 cpm	1-15 cpm	1-15 cpm
Electrical:	208-230 Volts / 1 PH / 32 Amps	208-230 Volts / 1 PH / 32 Amps or 208-230 Volts / 3 PH / 25 Amps	208-230 Volts / 1 PH / 55 Amps or 208-230 Volts / 3 PH / 45 Amps

  

	PHS8-1418	FAB8-1824
Nominal sealing area:	14" x 18"	18" x 24"
Number of open stations:	5	5
Card feeder:	Optional-Self standing	Optional-Self standing
Finished package unloader:	Standard	Standard
Max clamshell/blister depth:	3.0"	3.0"
Max clamshell back height:	2.0"	2.0"
Avg. cycle speed clamshell pkg:	1-12 cpm	1-10 cpm
Avg. cycle speed blister pkg:	1-15 cpm	1-14 cpm
Electrical:	208-230 Volts / 1 PH / 40 Amps or 208-230 Volts / 3 PH / 25 Amps	208-230 Volts / 1 PH / 93 Amps or 208-230 Volts / 3 PH / 45 Amps

*Specifications and model availability are subject to change without notice.*



REQUEST  
A  
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



**Starview Packaging Machinery, Inc.**

Toll Free: 888-278-5555

[www.starviewpackaging.com](http://www.starviewpackaging.com)

[sales@starviewpackaging.com](mailto:sales@starviewpackaging.com)

Copyright 2022 Starview Packaging Machinery, Inc.

